REFERENCE NUMERALS

Chemical vapor deposition system	100
Chamber body	102
Gas source	104
Walls	106
Bottom	108
Lid	110
Process volume	112
Pumping ring	114
Exhaust port	116
Showerhead	118
Interior side	120
Perimeter mounting ring	122
Dish-shaped center section	124
Mounting holes	126
Mounting screw	128
Mating hole	130
Perforated area	132
Mixing block	134
Blocker plate	136
Substrate support assembly	138
Underside	139
Substrate	140
Edge	141
Moveable shaft	142
Actuator	144
Bellows	146
Apparatuses	150
Slot	151
Apertures	152
Aperture	160
Pivot	200
Roller	202
Mounting flange	204
Lever	206
Arm	208
First end	210
Second end	212
First end	214
Second end	216
Pin	218
Biasing member	230
Torsion spring	232
Shaft	260

I-shaped pivot 302	Substrate centering Apparatus	300
Actuating arm 304 Mounting flange 306 Lever 308 Pivot arm 310 First end 312 Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift pins 344 First ends 344 Second ends 348 Apertures 344 First ends 346 Second ends 348 Aperture 362 Actuator 364 Bellows 366 Apparatus	I-shaped nivot	
Mounting flange 306 Lever 308 Pivot arm 310 First end 312 Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 <tr< td=""><td></td><td></td></tr<>		
Lever 308 Pivot arm 310 First end 312 Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber 338 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402		
Pivot arm 310 First end 312 Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber 338 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404		
First end 312 Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 <		
Second end 314 Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408		
Apertures 316 Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Chamber bottom 338 Chamber bottom 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408		
Substrate support assembly 318 Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside<		
Edge 320 Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside		
Substrate 322 First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly		
First end 324 Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end		
Second end 326 Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end		
Underside 328 Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber bottom 338 Lift pins 340 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture		
Pin 330 Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Torsion spring 331 First end 332 Second end 334 Chamber bottom 336 Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
First end 332 Second end 334 Chamber bottom 336 Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Second end 334 Chamber bottom 336 Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424	First and	
Chamber bottom 336 Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Chamber 338 Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Lift pins 340 Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Lift plate 342 Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Apertures 344 First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
First ends 346 Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Second ends 348 Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Apertures 350 Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Shaft 360 Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Aperture 362 Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Actuator 364 Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Bellows 366 Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Apparatus 400 Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Base 402 Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Lever 404 Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Roller arm 406 Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Slide 408 Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Ramp 410 First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
First end 412 Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Second end 414 Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Underside 416 Support assembly 418 First end 420 Second end 422 Aperture 424		
Support assembly 418 First end 420 Second end 422 Aperture 424		
First end 420 Second end 422 Aperture 424		
Second end 422 Aperture 424		
Aperture 424		
	Second end	
Edge 426		424
	Edge	426

Substrate	428
First end	430
Second end	432
Roller	434
Bottom	436
Chamber	438
Sloped surface	450
Substantially flat surface	452
Spring	460
Assembly	500
Apparatus	502
Fixed pins	506
Support surface	508